




**Perfect beams  
for high-class  
ambience**

# The Pointer series

**ILLUXTRON®**  
LIGHTING





## **THE NEW SIGNATURE IN ARCHITECTURAL LIGHTING**

Let's say you walk into a room that is perfectly lit, but you don't see any light points. That is the new signature in architectural lighting, and it starts with the Illuxtron Pointer Series. Three new downlights that have unique lenses with zero glare. The light emitting surface is only 8mm in diameter, but still produces between 350 and 650 lumens. This allows for a nearly invisible light experience that gives architects and lighting designers a possibility to present a room like they have never been able before. All the attention goes to the room, not to the glare.

**REDUCED  
GLARE (<UGR10)**

To reduce glare, the Pointer Spot's small light opening is recessed as far into the long tube as possible. Ideal for situations where multiple rail spots are used to illuminate the entire room.


The integrated driver makes sure that the track can be connected directly to the mains



Pointer  
Spot  
Pendant

ZERO GLARE LENS


A patented system  
where all of the light  
comes through an  
opening of only 8mm



## ZERO GLARE LENS

The Pointer series is all about a revolutionary new lens that collimates the beam angle. This means that the beam will be reflected into an hourglass shape. The narrowest point of the hourglass-shaped beam passes precisely through the downlight's opening. The beam angle is here at its narrowest and therefore the light emitting surface of the Pointer downlights are only 8mm in diameter.

The lens also gives the possibility for an internal anti-glare ring. This makes for a cleaner design and ultra low UGR values. There is virtually no glare from Pointer downlights, and this gives an almost invisible light experience. The room is perfectly illuminated, but you can't see the light points. This gives a clean and relaxed effect in rooms that are equipped with Pointer downlights.



POINTER SERIES



**Pointer 40**

LV 225-425 Lm CRI93  
LV 350-450 Lm CRI82



**Pointer 68**

LV 325-575 Lm CRI93  
LV 500-650 Lm CRI82



**Pointer Spot 68 adj**

LV 225-425 Lm CRI93  
LV 350-450 Lm CRI82



**Pointer Spot 75**

LV 325-575 Lm CRI93  
LV 500-650 Lm CRI82



**Pointer Spot  
Pendant SM**

LV 325-575 Lm CRI93  
LV 500-650 Lm CRI82




**Pointer Spot  
Pendant 3F**

LV 325-575 Lm CRI93  
LV 500-650 Lm CRI82



**Pointer Spot  
Pendant 48V**

LV 325-575 Lm CRI93  
LV 500-650 Lm CRI82



**Pointer Spot Track 3F**

LV 325-575 Lm CRI93  
LV 500-650 Lm CRI82



**Pointer Spot  
Track 48V**

LV 325-575 Lm CRI93  
LV 500-650 Lm CRI82

PRODUCT OVERVIEW





### Pointer Spot SM 1L

LV 325-575 Lm CRI93

LV 500-650 Lm CRI82



### Pointer Spot SM 2L

LV 325-575 Lm CRI93

LV 500-650 Lm CRI82



### Pointer Spot WL

LV 325-575 Lm CRI93

LV 175-275 Lm CRI82



With  
USB-C  
charger

Highlighting  
every element of  
your design with  
precision

Triac & Dali  
Power Supply

HIGHLIGHTING

**Bartenbach**<sup>®</sup>  
lighting optics

35°/60°  
2700/3000/4000K



# ILLUXTRON®

LIGHTING

All products are developed by our own team and assembled in various workshops by people with a disadvantage in the labour market. Aimed at the higher market segment, the range uses only high-quality materials and comes with a 7-year warranty.

MADE IN  
HOLLAND

7 YEAR  
WARRANTY

Check out our website for  
more information and inspiration.  
Scan the QR code or go to  
[illuxtron.com](http://illuxtron.com)!



**Illuxtron International BV**

Mercuriusweg 19  
4382 NC Vlissingen  
The Netherlands

+31 (0)85 773 63 60  
[info@illuxtron.com](mailto:info@illuxtron.com)  
[www.illuxtron.com](http://www.illuxtron.com)

**ILLUXTRON®**  
LIGHTING