


EYE
leds

EXCLUSIVE LIGHTING



Fully
automated
production line
for recessed
spotlights

ALTRA 68

FROM RAW MATERIAL TO END PRODUCT

A CLEAR EYE FOR DESIGN & QUALITY




NEW - ALTRA COMPOSITE

Eyeleds and a local automotive factory have entered into an exclusive collaboration to create a new advanced automatic production line for recessed spotlights. The previous Philips factory is now an important player in the LED automotive market and exports a significant part of its turnover to Chinese car manufacturers. Eyeleds has a lot of experience in developing LED recessed spotlights and is a reliable partner in the lighting market.


This partnership is a game-changer for customers who previously purchased directly from China. With increasing environmental regulations and political tensions, the need for local production has never been more critical. The new project offers an attractive price point while delivering quality and reliability. All products are manufactured from raw materials to finished goods.

5 years
warranty

Bulk
packaging
possible




PLUG & PLAY CABLE SYSTEM 3/5P



ALTRA 68/PSU



Altra 68 LVCS
white (XX=MW)




Altra 68 LVCS
black (XX=BL)




PSU 36W No dim
PSU 32W Triac
PSU 38W Casambi
PSU 36W Dali

PLUG & PLAY CABLE SYSTEM 3/5P - ACCESSOIRES



LVCS Extension cable 2m



LVCS Extension cable 10m

ALTRA 68 LVCS

	Description	Item code		Over carton
		WS	CS	
	Altra 68 LVCS 2700K CRI90 600Lm 40° 500mA 12Vf	LE3R03XX9RE2	LE3R03XX5YE2	56 pcs
	Altra 68 LVCS 3000K CRI90 625Lm 40° 500mA 12Vf	LE3S03XX9RE2	LE3S03XX5YE2	56 pcs
	Altra 68 LVCS 4000K CRI90 650Lm 40° 500mA 12Vf	LE3T03XX9RE2	LE3T03XX5YE2	56 pcs
	Altra 68 LVCS 2700K CRI90 600Lm 80° 500mA 12Vf	LE3R03XX9ME2	LE3R03XX4ME2	56 pcs
	Altra 68 LVCS 3000K CRI90 625Lm 80° 500mA 12Vf	LE3S03XX9ME2	LE3S03XX4ME2	56 pcs
	Altra 68 LVCS 4000K CRI90 650Lm 80° 500mA 12Vf	LE3T03XX9ME2	LE3T03XX4ME2	56 pcs

PSU

	Description	Specification	Item code	Over carton
	PSU + LVCS cable set 4L	36W 500mA No dim nfc	05PM03MLMT00	10 pcs
		36W 500mA Dali ¹ nfc	05PN03MLMT00	8 pcs
		32W 500mA Triac	05GG03MLMT00	10 pcs
		38W 500mA Casambi nfc	05PN03MLMT00	10 pcs

¹Dali is not suitable for the HV Distributor system.

ACCESSORIES

	Description	Specification	Item code	Over carton
F	LVCS Extension cable 2m	LV 2m m/f (0,34mm ²)	6B5203BL1202	16 pcs
G	LVCS Extension cable 10m	LV 10m m/f (0,34mm ²)	6E5203BL1202	16 pcs


GST18 PLUG & PLAY SOLUTIONS 3/5P (ASSEMBLED TO DRIVER)

	Description	Class	Length	Item code
A1	Euro plug incl. cable	II	2.0 m	015203BL1200
A2	Schuko plug incl. cable	I	1.5 m	1C5203BLA000
A3	UK plug incl. cable	II	2.0 m	0A5203BL1200
A4	3P GST18 male incl. cable 2x0.75mm ²	II	0.3 m	455203BL0000
A4	3P GST18 male incl. cable 2x0.75mm ²	II	3.0 m	455203BL1500
A4	3P GST18 male incl. cable 3x0.75mm ²	I	0.3 m	4A5203BL0000
A4	3P GST18 male incl. cable 3x0.75mm ²	I	3.0 m	4A5203BL1500
A5	5P GST18 male 1-10V/Dali incl. cable 5x0,75mm ²	I	0.3 m	6A5203BL0000
A5	5P GST18 male 1-10V/Dali incl. cable 5x0,75mm ²	I	3.0 m	6A5203BL1500
A6	BST14i male Dali incl. cable	III	0.5 m	095203BL0000
A6	BST14i male Dali incl. cable	III	3.0 m	095203BL1500
A7	3P GST18 T-splitter male incl. cable	II	0.2 m	459203BL0000
A7	3P GST18 T-splitter male incl. cable	I	0.2 m	4A9203BL0000
A8	5P GST18 T-splitter male 1-10V/Dali	I / II	x	659203BU0000
A9	BST14i T-splitter male 1-10V/Dali incl. cable	III	0,2 m	099203BL0000

DISTRIBUTOR SYSTEM 2P (Not for Dali.)

FEATURES

- Basic 2,5A Plug&Play system
- 2 wire system
- Not available for Dali



ALTRA 68/PSU



Altra 68 LVCS
white (XX=MW)




Altra 68 LVCS
black (XX=BL)



PSU 36W No dim
PSU 32W Triac
PSU 38W Casambi


DISTRIBUTOR SYSTEM 2P - ACCESSORIES



2P Plug



2P Extension
cable 2m (between driver
and 6-way distributor)




LVCS Extension cable 2m



2P Distributor 6x
+ Europlug




2P Distributor 6x
+ GST18 3P




LVCS Extension cable 10m

DISTRIBUTOR SYSTEM 2P - ACCESSORIES

	Description	Specification	Item code	Over carton
B	2P Plug 0,15m	HV Ø7,6mm 0,15m male (0,75mm ²)	6J5203BL1B02	Assembled to driver, not for Dali drivers
C	2P Extension cable	HV Ø7,6mm 2m m/f (0,75mm ²)	6F5203BL1202	30 pcs
D	2P Distributor 6x Europlug	HV Ø7,6mm 6x + cable 1m 2,5A / Europlug	665203BL2502	15 pcs
E	2P Distributor 6x GST18 3P	HV Ø7,6mm 6x + cable 1m 2,5A / GST18 3P	665203BL1502	15 pcs
F	LVCS Extension cable 2m	LV 2m m/f (0,34mm ²)	6B5203BL1202	16 pcs
G	LVCS Extension cable 10m	LV 10m m/f (0,34mm ²)	6E5203BL1202	16 pcs



It is recommended to install the power supplies in an easily accessible place. By using the LV extension cable, the distance to the last spot can be increased to a maximum of 30 meters.



Altra 68 also
available as
LV version
(incl. PSU No dim 7W,
Triac 10W or Dali 20W)

Patented


Innovative
heat dissipation

Low recess
depth of
only 31 mm

New High
efficient CRI90
technology


Standard wire spring
or special concrete
spring

40/80°
2700/3000/4000 K
600/625/650 Lm



Environment
friendly
composite
material

Hole size
68-75 mm





About us

EYELEDS

The history of Eyeleds goes back to 2004, where a collection of narrow floor spotlights was developed and quickly grew into a global sales network in 43 countries. Now after 20 years, this brand is still known among leading architects and lighting designers. A group of professionals revived the brand in 2024 with a series of innovative products that are produced fully automatically from raw material to end product in the Netherlands.

Eyeleds products are primarily aimed at the Western European lighting market, where environmental standards increasingly require products to be produced close to home. The production location meets the highest standards and the products are ENEC approved and provided with EPD certificates. The collection has been supplemented with a number of standard products so that a total solution can be provided for the customer.

**MADE IN
HOLLAND**

MADE IN HOLLAND

The product is made from raw material to endproduct in the Netherlands.

**5-YEAR
GUARANTEE**

5-YEAR GUARANTEE

Our guarantee is based on the luminaires burning continuously at a maximum ambient temperature of 45°.



Eyeleds

Check out our website for
more information and inspiration.
Scan the QR code or go to
eyeleds.com!



Distributor:

Illuxtron International BV

Mercuriusweg 19
4382 NC Vlissingen
The Netherlands

+31 (0)85 773 63 60
info@illuxtron.com
www.illuxtron.com